Product fiche pursuant to Delegated Regulation (EU) no. 65/2014

Domestic Range Hoods	Answer
Supplier's Name or Trade Mark	Hotpoint
Model	PHGC6.5FABX
Annual Energy Consumption (AEC hood) in kWh/a	100.1
Energy efficiency class	С
Fluid Dynamic Efficiency (FDE)	20
Fluid Dynamic Efficiency (FDE) class	С
Lighting Efficiency (LE hood) in lux/Watt	9
	_
Lighting efficiency class	E
Grease Filtering Efficiency	66
Conseq Filharing Ffficiency along	5
Grease Filtering Efficiency class	D
Air flow (in the 2 /b) at the injury of and the view of and in the control was interesting at boost evaluated	240/406 2/h
Air flow (in m 3 /h) at minimum and maximum speed in normal use, intensive or boost excluded	240/496 m3/h
If available the air flow (in m3/h) at intensive or boost setting	559 m3/h
ii available the air now (iii iiis/ii) at intensive or boost setting	559 1115/11
Airborne acoustical A-weighted sound power emissions (dB(A)) at minimum and maximum speed	46/63 dB(A)
available in normal use	40/03 db(A)
available in normal use	
Airborne acoustical A-weighted sound power emissions (dB(A)) at intensive or boost setting	67 dB(A)
All bothe debasted in weighted sound power emissions (ab(n)) at mensive or boost setting	<i>o, ab</i> (, t)
Power consumption in off mode (P o), in Watt	0.33 W
Power consumption in standby mode (P o), in Watt	0.99 W
one consumption in standay mode (i o), in trace	0.00