

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

**Supplier's name or trade mark:** HISENSE

**Supplier's address:** Partizanska 12, 3320 Velenje, SI

**Model identifier:** WD3S8043BB3

## General product parameters:

| Parameter   | Value                  |       | Parameter  | Value             |      |
|---|------------------------|-------|--|-------------------|------|
| Rated capacity (kg)   | Rated capacity         | 5,0   | Dimensions in cm   | Height            | 85   |
|   | Rated washing capacity | 8,0   |  | Width             | 60   |
|   |                        |       |  | Depth             | 51   |
| Energy Efficiency Index   | EEl <sub>w</sub>       | 36,3  | Energy efficiency class  | EEl <sub>w</sub>  | A    |
|   | EEl <sub>wd</sub>      | 66,9  |  | EEl <sub>wd</sub> | D    |
| Washing efficiency index  | I <sub>w</sub>         | 1,031 | Rinsing effectiveness (g/kg dry textile)   | I <sub>R</sub>    | 5,00 |
|   | J <sub>w</sub>         | 1,055 |  | J <sub>R</sub>    | 4,2  |
| Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used |                        | 0,33  | Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used                            |                   | 2,66 |
| Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water                              |                        | 36    | Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water |                   | 80   |
| Maximum temperature inside the treated textile (°C)   | Rated washing capacity | 28    | Weighted remaining moisture content (%)  | 53,0              |      |
|   | Half                   | 27    |  |                   |      |
|   | Quarter                | 25    |  |                   |      |
| Spin speed (rpm)  | Rated washing capacity | 1400  | Spin-drying efficiency class   | B                 |      |
|   | Half                   | 1400  |  |                   |      |
|   | Quarter                | 1400  |  |                   |      |
| Eco 40-60 programme duration (h:min)  | Rated washing capacity | 3:38  | wash and dry cycle duration (h:min)  | Rated capacity    | 7:59 |
|   | Half                   | 2:48  |  | Half              | 5:29 |
|   | Quarter                | 2:03  |  |                   |      |
| Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)   | 72                     |       | Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity  | A                 |      |
| Type  | Free-standing          |       |  |                   |      |
| Off-mode (W)  | 0,49                   |       | Standby mode (W)   | 0,49              |      |
| Delay start (W)   | 4,00                   |       | Networked standby (W)  | 2,00              |      |
| <b>Minimum duration of the guarantee offered by the manufacturer : 24 months</b>  |                        |       |  |                   |      |
| <b>This product has been designed to release silver ions during the washing cycle</b>   |                        |       |  | <b>No</b>         |      |
| <b>Additional information:</b>  |                        |       |  |                   |      |
| <a href="http://global.hisense.com/">http://global.hisense.com/</a>   |                        |       |  |                   |      |